

HONESTY+QUALITY=SUCCESS



JIANGSU CARTMAY INDUSTRIAL CO., LTD



NGV ISO9001: 2000
Having passed NGV ISO9001:2000 Quality management system certification



NGV ISO14001: 2004
Having passed ISO14001:2004 environmental management system certification



Fume Hood and lab bench have passed the European CE safety certification



Having passed U.S. Scientific laboratory Furniture Association examination



Mail: info@hydratek.com.tr - Web: www.hydratek.com.tr

Merkez Mah. Firuze Sok. DAP Yapı S Plaza No: 5
İç Kapı No:190 PK 34406 Kağıthane - İstanbul / Türkiye
Tel: +90 212 321 65 10 - Fax: +90 212 321 65 11



JIANGSU CARTMAY INDUSTRIAL CO.,LTD

COMPANY PROFILE

Scientific Planing

Logical Layout

Top-ranking System



Jiangsu Cartmay Industrial CO.,LTD is a modern enterprise specializing in laboratory plan, design, production, installation and service after sales. Our company is located in Changzhou, the famous water hometown in CHINA. It's with very convenient traffic. Based on around 10,000m2 area, our company has become the comprehensive enterprise combined with design, production, sales and service. Importing automatic production equipment from Germany and Italy, our company is specialized in producing fashionable and environmental products complying with professional standard while using newest material in the world. Our products have 6 big series including all-steel, wood and steel, aluminum and wood, all-wood lab furniture and fume hood and lab accessories. Thousands of breeds are included in it. Having Passed ISO9001:2000 Quality Management and ISO14001:2004 Environment Management System, our company will insist on furnishing high-quality continuously. We have developed a whole set of scientific and effective quality management system and established perfect market and service after sales system during more than 10 years' practice.

International cooperation is widely conducted by introducing foreign advanced management method and technology and assimilating the most advanced and scientific experience in lab construction and plan in the world. Also combined with domestic experience, the product function is more scientific and service is more humanized. Our company is developing toward collectivization, industrialization, diversification. To seek more opportunity, Cartmay is willing to cooperate with domestic and foreign friends and establish long-time and mutal-benefit mechanism.



Negotiation



Design



Production



Installation



Usage



The company has passed the U.S. Scientific laboratory Equipment Furniture Association (SEFA) strict examination and become a member of SEFA. Since SEFA is the U.S. scientific equipment and laboratory furniture industry recognized standards organization, To be SEFA member is regarded as the best affirmation in the field. Therefore, we can lead the industry, access to a wealth of domestic and foreign resources, and quickly synchronize with the global advanced technology.

The qualities of lab planning, design, construction etc. are up to international standards, and our research, development and production always walk in the forefront of the market through the communication with the International Association and the same industry.



QUALIDICATION




Production Overview

Wood furniture process



Metal furniture Process



CONTENTS



01-08:	-----	Laboratory Fume Hood
09-22:	-----	Steel Lab Bench
23-24:	-----	Stainless steel lab bench
25-38:	-----	Metal and Wood Lab Bench
39-44:	-----	Wood Lab Bench
45-46:	-----	Polypropylene Lab Bench
47-48:	-----	Phenolic resin lab bench
49-50:	-----	Storage Cabinets
51-52:	-----	Laboratory Worktop
53-56:	-----	Accessorial fittings
57-64:	-----	Product Specification

Professionalism

Contemporary laboratory design and construction require comprehensive technical knowledge and field experience. As a professional provider in the laboratory field for 20 years, Ultra Labs is able to present lab owners with a tailor-made solution that are designed and validated as per assorted international standards.

Perfectionism

The craftsmanship and quality of our product and service adhere to the highest standards and satisfy the most stringent requirements for safety, performance and reliability.

Our thirst for professionalism and perfectionism is what drives us becoming a bellwether in this industry and distinguishes us from our competitors, particularly due to our strong custom-made capability that gratifies diversified market demands.

**A CARTMAY specialist is ready to serve you
anywhere in the world**



Intelligent Fume Hood



The poisonous air can be limited in minimum range and discharged rapidly

Type	Specification (mm)	Face Velocity (m/s)	Air Volume (m³/s)	Pressure balance (Pa)	Noise dB (A)
St1200	1200×850×2350	0.4~0.6	864~1512	40~85	≤48
St1500	1500×850×2350	0.4~0.6	1080~1890	40~120	≤48
St1800	1800×850×2350	0.4~0.6	1296~2260	60~150	≤48

Polypropylene Fume Hood



Polypropylene fume hood has the characteristics of resistance to strong acid and alkali and anti-corrosion, and it has overcome the defects of conventional fume hood in the environment of concentrated acid such as rusting, yellowing and cracking.

Stainless steel Fume Hood



Stainless steel fume hood having easy to clean, disinfect, high strength, and can be kept longer time clean features. Common materials fume hood can not meet these requirements.

Lab fume hood with acid storage cabinet



To meet the requirement of storing strong acid and alkali, the nether cabinet is designed as acid storage cabinet which connects with exhaust system of fume hood.

Entered fume hood

It's suitable for placing large instruments into the fume hood and operator is easy to enter into it.



Acid-proof and Alkali-proof Nether cabinet



The nether cabinet will exhaust only when the exhaust system of fume hood works. PP is used as the material for drawers and slide rails etc in acid storage cabinets.

Combined Entered fume hood

It's suitable for placing large instruments into the fume hood and operator is easy to enter into it.



Up-table Fume Hood



It's with 4 sides' steel glasses. It widens the sight of operator largely. This product is widely used in organo, Synthesis and teaching laboratory.



Mending wind fume hood

Mending air from outside, it can avoid high negative voltage and stabilize temperature in chamber. In addition air purification device can be installed to improve the clean class for experiment environment.

Combined fume hood



Space has been extended. It furnishes more space for operating and instruments. Space has been used to reach its maximum by reasonable space combining.



All Steel Lab Bench

It's designed by CAD and digital-precision made. As a single unit it can be assembled freely with a better formation to fit into your lab space. It's with good weight bearing, long lifetime and excellent cost performance. It can meet your space requirement for laboratory.

The workstation body is using selected 1.0mm thickness first-class cold/galvanized steel sheet, automatic skimmers forming, phosphating and pickling treatment for surface, epoxy resin powder, no prominent section block, smooth charm, outstanding acid-proof and alkali-proof performance.

Worktop can choose lab-grade phenolic resin, Trespa, epoxy resin, ceramics etc exclusive table material.



C-frame suspended cabinet



Mobile unit cabinet



H-frame wall cabinet



C-frame mobile wall cabinet



C-frame corner cabinet

Movable back panel which can be dissembled




Functional design
Solid and stable support



The concept of humanity
Leading and excellent technology




G series



The benches are available with

- other dimensions
- different worktops
- alternative cabinet fronts and underbench cabinet bases as well as accessories on request





The benches are available with

- other dimensions
- different worktops
- alternative cabinet fronts and underbench cabinet bases as well as accessories on request




A series



The benches are available with

- other dimensions
- different worktops
- alternative cabinet fronts and underbench cabinet bases as well as accessories on request






The benches are available with

- other dimensions
- different worktops
- alternative cabinet fronts and underbench cabinet bases as well as accessories on request




S series



The benches are available with

- other dimensions
- different worktops
- alternative cabinet fronts and underbench cabinet bases
- ⇌ It means the cabinet is movable as well as accessories on request




The benches are available with

- other dimensions
- different worktops
- alternative cabinet fronts and underbench cabinet bases as well as accessories on request

Feature

- Moisture & Corrosion Resin
- Impact resistance
- Easy to Sanitize
- Attractive & Aesthetic Appearance





H-Frame

The steel&Wood lab bench includes two kinds of structure. H-frame and C-frame. H-frame works better with heavy bearing.

It selects 40x60/30x30mm square steel, phosphating and pickling treatment for surface, epoxy resin powder paint, no prominent section-block, smooth charm, outstanding acid-proof and alkali-proof performance.

Stainless steel and rubber adjustable feet, it's damping-proof,slipperyproof, corrosive-proof. It's with shock absorbing fuction and with better weight bearing.The adjustable height is 30~50mm and its bearing capacity can reach above 150KG.

Steel H-frame can meet the requirements of using large-scale precision instruments and can hold more than 500KG weight.

Worktop can choose lab-grade phenolic resin, Trespa,epoxy resin, ceramicsetc exclusive table material.

C-Frame

C-frame is more flexible with simple structure.

It selects 40x60/30x30mm square steel, phosphating and pickling treatment for surface, epoxy resin powder paint, no prominent sectionblock, smooth charm, outstanding acid-proof and alkali-proof performance.

Stainless steel and rubber adjustable feet, it's damping-proof,slippery proof, corrosive-proof. It's with shock absorbing fuction and with better weight bearing.The adjustable height is 30~50mm and its bearing capacity can reach above 150KG.

C-frame can choose suspended cabinet and push drawer structure. They are easy to be cleaned, assembled and dissembled.

Worktop can choose lab-grade phenolic resin, Trespa,epoxy resin, ceramics etc exclusive table material.




CARTMAY

Steel and Wood Lab Bench




Simplicity Fashion
Flexible structure Varied Configuration

H series



The benches are available with

- other dimensions
- different worktops
- alternative cabinet fronts and underbench cabinet bases as well as accessories on request






The benches are available with

- other dimensions
- different worktops
- alternative cabinet fronts and underbench cabinet bases as well as accessories on request




C series



The benches are available with

- other dimensions
- different worktops
- alternative cabinet fronts and underbench cabinet bases as well as accessories on request





The benches are available with

- other dimensions
- different worktops
- alternative cabinet fronts and underbench cabinet bases as well as accessories on request





Simplicity Fashion
Flexible structure Varied Configuration

I series



The benches are available with

- other dimensions
- different worktops
- alternative cabinet fronts and underbench cabinet bases as well as accessories on request



The benches are available with

- other dimensions
- different worktops
- alternative cabinet fronts and underbench cabinet bases as well as accessories on request



Wood lab bench

It's made of melamine decoration plate and coupled with some accessories such as plywood, flakeboard and medium density fiberboard. According to the different geographic & climate, selecting plate from different source reasonably to meet the requirements for laboratory use. It mainly has the following features: Reasonable price, rich resource of wood for selection, easy to make and shape, stylish; colourful easy for installation and after-sale service; Excellent alkali-proof & acid-proof.

Worktop can choose lab-grade phenolic resin, epoxy resin, trespa and ceramics etc exclusive lab table material.







Overall material used white PP (polypropylene) plates, seamless welding rod through the same color treatment to ensure the cabinet strong and tightness.

Door handles and hinges, by a PP injection molding material produced.

PP material laboratory furniture has excellent corrosion resistance.



Feature:

- ◆ Strong resistance to impact
- ◆ Strong resistance to abrasions, stains and heat
- ◆ Easy to clean and maintain
- ◆ No toxic and totally hygienic
- ◆ Impervious to moisture and steam
- ◆ Self supporting and long term stability
- ◆ Various colors, finishes and patterns





Convnsion chemical storage cabinet



Storage cabinet for dangerous goods
Made of double-layer thickened steel plate. It's anti-explosion, anti-radiation and high-temperature insulation

Storage cabinet for medicine and reagent

药品及试剂存储柜
Storage cabinet for medicine and reagent

玻璃器皿柜
Glass vessel cabinet

Convnsions chemical storage cabinet
Storage cabinet for dangerous goods
Storage cabinet for medicine and reagent
Glass vessel cabinet
Gas cylinder cabinet

Glass vessel cabinet

Gas cylinder cabinet

Heavy Metal shelf



Laboratory Worktop

When you select worktop kind for laboratory, please make best choice after considering about their chemistry, physics features and related factors for various worktops according to laboratory attribute and their features.

There are various kinds of worktops for your selection except the kinds as below:



Attribute	Lab-grade phenolic resins worktop	Epoxy resin worktop	Ceramic worktop
Ingredient	Dipping phenolic resin into special multi-layer kraft paper, it's hot-solid formed under high temperature and pressure	Quartz sand and epoxy mixed with special bond.	Combined clay, kaolin and feldspar mixed with many special material.
Corrosive-resistance	It's resistant for many kinds of acid, alkali, solvent and reagent etc.	It's resistant for many kinds of acid, alkali, solvent and reagent etc.	Excellent
Heat-resistance	Normal: 135°C , it couldn't touch flame directly.	600°C heat resistance	1000°C heat resistance
Colour	Black, gray, dark green	Gray, gray, green	Black, gray, white, green
Worktop thickness	12.7mm, 16mm, 19mm	16mm, 19mm, 25mm	20mm
Water-resistant	water absorption: 0.6%	water absorption: 0.008%	Excellent
Physics feature	Good	Good	Excellent
Forbidden Reagent	There are little defects after meeting with 65% nitric acid, chromic acid, hydrofluoric acid. There are defects after meeting with 98% sulfuric acid.	There are defects after meeting with 98% sulfuric acid, cleaning solution of heavy chromic acid, 40% Chromic acid, 50% sodium hydroxide.	—
Test method	For medicine with fixed hydrocarbon: dripping it on the worktop directly; For medicine with volatility: Infiltrating it into absorbent cotton till saturated state and touching with desktop, after that it should be covered by visual glass or jar; Above medicine should be placed on the desktop at 25°C room temperature, after 16 to 25 hours the desktop should be washed with soap and water. At last it can be tested and evaluated when the desktop is dried.		

Lab Faucet



Lab Sink




Lab Cock



JB6-2

Eye Wash, Emergency Shower



FAN



JF1



JF2

Lab Chair



JS1



JS2



JS3



JS4

Mobile Cart



JT1-PP



JT2-SS



JC1



JC2



JC3



JC4


Fume Extractor, Pegboard



JP8



JP8-2



JD2-B

Power Supply



JE1



JE2



JE3

FAN



JF1



JF2

Lab Chair



JS1



JS2



JS3



JS4

Mobile Cart



JT1-PP



JT2-SS



JC1



JC2



JC3



JC4


Fume Extractor, Pegboard



JP8



JP8-2



JD2-B

Power Supply



JE1




JE2



JE3


BASE CABINETS

STANDING CABINET Height: 830mm, Deepness 550mm



(STEEL CABINET)


*Shelves are adjustable in increment of 25mm
*Sound deadening material in doors and drawers
*304 Stainless handle



Product No.	Standard
110W1522	L375*W550*H830
110W1622	L400*W550*H830
110W1822	L450*W550*H830
110W2022	L500*W550*H830
110W2422	L600*W550*H830




Product No.	Standard
103W1522	L375*W550*H830
103W1622	L400*W550*H830
103W1822	L450*W550*H830
103W2022	L500*W550*H830
103W2422	L600*W550*H830




Product No.	Standard
110W1522	L375*W550*H830
110W1622	L400*W550*H830
110W1822	L450*W550*H830
110W2022	L500*W550*H830
110W2422	L600*W550*H830



Product No.	Standard
104W1522	L375*W550*H830
104W1622	L400*W550*H830
104W1822	L450*W550*H830
104W2022	L500*W550*H830
104W2422	L600*W550*H830



Product No.	Standard
111W1522	L375*W550*H830
111W1622	L400*W550*H830
111W1822	L450*W550*H830
111W2022	L500*W550*H830
111W2422	L600*W550*H830



Product No.	Standard
220W3022	L750*W550*H830
220W3222	L800*W550*H830
220W3622	L900*W550*H830
220W4022	L1000*W550*H830




Product No.	Standard
111W1522	L375*W550*H830
111W1622	L400*W550*H830
111W1822	L450*W550*H830
111W2022	L500*W550*H830
111W2422	L600*W550*H830



Product No.	Standard
222W3022	L750*W550*H830
222W3222	L800*W550*H830
222W3622	L900*W550*H830
222W4022	L1000*W550*H830

BASE CABINETS

STANDING CABINET Height: 830mm Deepness 550mm




(STEEL CABINET)

*Shelves are adjustable in increment of 25mm
*Sound deadening material in doors and drawers
*304 Stainless handle




Product No.	Standard
221W3022	L750*W550*H830
221W3222	L800*W550*H830
221W3622	L900*W550*H830
221W4022	L1000*W550*H830



Product No.	Standard
214S3022	L750*W550*H830
214S3222	L800*W550*H830
214S3622	L900*W550*H830
214S4022	L1000*W550*H830




Product No.	Standard
221W3022	L750*W550*H830
221W3222	L800*W550*H830
221W3622	L900*W550*H830
221W4022	L1000*W550*H830



Product No.	Standard
214S3022	L750*W550*H830
214SW3222	L800*W550*H830
214S3622	L900*W550*H830
214S4022	L1000*W550*H830



Product No.	Standard
213W3022	L750*W550*H830
213W3222	L800*W550*H830
213W3622	L900*W550*H830
213W4022	L1000*W550*H830



Product No.	Standard
208S3022	L750*W550*H830
208S3222	L800*W550*H830
208S3622	L900*W550*H830
208S4022	L1000*W550*H830




Product No.	Standard
213W3022	L750*W550*H830
213W3222	L800*W550*H830
213W3622	L900*W550*H830
213W4022	L1000*W550*H830



Product No.	Standard
220S3022	L750*W550*H830
220S3222	L800*W550*H830
220S3622	L900*W550*H830
220S4022	L1000*W550*H830

BASE CABINETS

STANDING CABINET Height: 830mm, Deepness 550mm




(STEEL & WOOD CABINET)

*Shelves are adjustable in increment of 32mm
*Sound deadening material in doors and drawers
*Long aluminum-alloy handle or 304 stainless handle



Product No.	Standard
110W1522	L375*W550*H830
110W1622	L400*W550*H830
110W1822	L450*W550*H830
110W2022	L500*W550*H830
110W2422	L600*W550*H830



Product No.	Standard
220W3022	L750*W550*H830
220W3222	L800*W550*H830
220W3622	L900*W550*H830
220W4022	L1000*W550*H830




Product No.	Standard
111W1522	L375*W550*H830
111W1622	L400*W550*H830
111W1822	L450*W550*H830
111W2022	L500*W550*H830
111W2422	L600*W550*H830



Product No.	Standard
222W3022	L750*W550*H830
222W32622	L800*W550*H830
222W3622	L900*W550*H830
222W4022	L1000*W550*H830



Product No.	Standard
103W1522	L375*W550*H830
103W1622	L400*W550*H830
103W1822	L450*W550*H830
103W2022	L500*W550*H830
103W2422	L600*W550*H830



Product No.	Standard
221W3022	L750*W550*H830
221W3222	L800*W550*H830
221W3622	L900*W550*H830
221W4022	L1000*W550*H830




Product No.	Standard
101W1522	L375*W550*H830
101W1622	L400*W550*H830
101W1822	L450*W550*H830
101W2022	L500*W550*H830
101W2422	L600*W550*H830



Product No.	Standard
223W3022	L750*W550*H830
223W3222	L800*W550*H830
223W3622	L900*W550*H830
223W4022	L1000*W550*H830

基本柜体 BASE CABINETS

STANDING CABINET Height: 830mm Deepness 550mm




(STEEL & WOOD CABINET)


*Shelves are adjustable in increment of 32mm
*Sound deadening material in doors and drawers
*Long aluminum-alloy handle or 304 stainless handle




编号	Product No.	规格	Standard
	206W3022	L750*W550*H830	
	206W3222	L800*W550*H830	
	206W3622	L900*W550*H830	
	206W4022	L1000*W550*H830	



编号	Product No.	规格	Standard
	222W3022	L750*W550*H830	
	222W3222	L800*W550*H830	
	222W3622	L900*W550*H830	
	222W4022	L1000*W550*H830	




Product No.	Standard
213W3022	L750*W550*H830
213W32622	L800*W550*H830
213W3622	L900*W550*H830
213W4022	L1000*W550*H830



Product No.	Standard
310W3232	L800*W800*H830




Product No.	Standard
214W3022	L750*W550*H830
214W3222	L800*W550*H830
214W3622	L900*W550*H830
214W4022	L1000*W550*H830



Product No.	Standard
220W3022	L750*W550*H830
220W3222	L800*W550*H830
220W3622	L900*W550*H830
220W4022	L1000*W550*H830




Product No.	Standard
208W3022	L750*W550*H830
208W3222	L800*W550*H830
208W3622	L900*W550*H830
208W4022	L1000*W550*H830



Product No.	Standard
440W5422	L1350*W550*H830
440W5822	L1450*W550*H830


BASE CABINETS

STANDING CABINET Height: 830mm, Deepness 550mm




(WOOD CABINET)


*Shelves are adjustable in increment of 32mm
*Sound deadening material in doors and drawers
*Long aluminum-alloy handle or 304 stainless handle




Product No.	Standard
110W1522	L375*W550*H830
110W1622	L400*W550*H830
110W1822	L450*W550*H830
110W2022	L500*W550*H830
110W2422	L600*W550*H830




Product No.	Standard
220W3022	L750*W550*H830
220W3222	L800*W550*H830
220W3622	L900*W550*H830
220W4022	L1000*W550*H830




Product No.	Standard
111W1522	L375*W550*H830
111W1622	L400*W550*H830
111W1822	L450*W550*H830
111W2022	L500*W550*H830
111W2422	L600*W550*H830



Product No.	Standard
222W1522	L750*W550*H830
222W1622	L800*W550*H830
222W1822	L900*W550*H830
222W2022	L1000*W550*H830




Product No.	Standard
103W1522	L375*W550*H830
103W1622	L400*W550*H830
103W1822	L450*W550*H830
103W2022	L500*W550*H830
103W2422	L600*W550*H830



Product No.	Standard
221W1522	L750*W550*H830
221W1622	L800*W550*H830
221W1822	L900*W550*H830
221W2022	L1000*W550*H830




Product No.	Standard
104W1522	L375*W550*H830
104W1622	L400*W550*H830
104W1822	L450*W550*H830
104W2022	L500*W550*H830
104W2422	L600*W550*H830



Product No.	Standard
221W1522	L750*W550*H830
221W1622	L800*W550*H830
221W1822	L900*W550*H830
221W2022	L1000*W550*H830


BASE CABINETS

STANDING CABINET Height: 830mm Deepness 550mm




(WOOD CABINET)


*Shelves are adjustable in increment of 32mm
*Sound deadening material in doors and drawers
*Long aluminum-alloy handle or 304 stainless handle




Product No.	Standard
213W3022	L750*W550*H830
213W3222	L800*W550*H830
213W3622	L900*W550*H830
213W4022	L1000*W550*H830




Product No.	Standard
220W3022	L750*W550*H830
220W3222	L800*W550*H830
220W3622	L900*W550*H830
220W4022	L1000*W550*H830




Product No.	Standard
213W3022	L750*W550*H830
213W3222	L800*W550*H830
213W3622	L900*W550*H830
213W4022	L1000*W550*H830




Product No.	Standard
310W3232	L800*W800*H830




Product No.	Standard
214W3022	L750*W550*H830
214W3222	L800*W550*H830
214W3622	L900*W550*H830
214W4022	L1000*W550*H830



Product No.	Standard
220W3022	L750*W550*H830
220W3222	L800*W550*H830
220W3622	L900*W550*H830
220W4022	L1000*W550*H830



Product No.	Standard
208W3022	L750*W550*H830
208W3222	L800*W550*H830
208W3622	L900*W550*H830
208W4022	L1000*W550*H830



Product No.	Standard
440W5422	L1350*W550*H830
440W5822	L1450*W550*H830


STORAGE CABINETS

STANDING CABINET Height: 1900mm, Deepness 450mm



(STORAGE CABINET)

*Shelves are adjustable in increment of 32mm
*Sound deadening material in doors and drawers
*Long aluminum-alloy handle or 304 stainless handle



Product No.	Standard
FCW2418	L600*W450*H1900
FCW3218	L800*W450*H1900
FCW3618	L900*W450*H1900
FCW4018	L1000*W450*H1900



Product No.	Standard
RCW2418	L600*W450*H1900
RCW3218	L800*W450*H1900
RCW3618	L900*W450*H1900
RCW4018	L1000*W450*H1900



Product No.	Standard
FCW3218	L800*W450*H1900
FCW3618	L900*W450*H1900
FCW4018	L1000*W450*H1900



Product No.	Standard
CCW3218	L800*W450*H1900
CCW3618	L900*W450*H1900
CCW4018	L1000*W450*H1900



Product No.	Standard
FCW3218	L800*W450*H1900
FCW3618	L900*W450*H1900
FCW4018	L1000*W450*H1900



Product No.	Standard
GCW1820	L800*W450*H1900
GCW3620	L900*W450*H1900
GCW4820	L1200*W450*H1900



Product No.	Standard
FCW3218	L800*W450*H1900
FCW3618	L900*W450*H1900
FCW4018	L1000*W450*H1900



Product No.	Standard
CCW3220	L800*W450*H1900
CCW3620	L900*W450*H1900
CCW4020	L1000*W450*H1900


FUME HOOD & REAGENT RACKS

FH: STANDING CABINET Height: 2350mm Deepness 850mm




(FUME HOOD AND REAGENT SHELF)


*Shelves are adjustable in increment of 25mm
*Sound deadening material in doors and drawers
*Long aluminum-alloy handle or 304 stainless handle



Product No.	Standard
SFH4834	L1200*W850*H2350



Product No.	Standard
RSG210	W250
RSG212	W300
RSG214	W350
RSG216	W400




Product No.	Standard
SFH6034	L1500*W850*H2350



Product No.	Standard
RSG210	W250
RSG212	W300
RSG214	W350
RSG216	W400




Product No.	Standard
SFH7234	L1800*W850*H2350



Product No.	Standard
RSG310	W250
RSG312	W300
RSG314	W350
RSG216	W400



Product No.	Standard
SFH4834C	L1200*W850*H2350
SFH6034C	L1500*W850*H2350
SFH7234C	L1800*W850*H2350



Product No.	Standard
RSG310	W250
RSG312	W300
RSG314	W350
RSG316	W400

LABORATORY ACCESSORIES

STANDING CABINET Height: 830mm, Deepness 550mm




(CENTRIFUGAL FAN)		
Product No.	Standard	
CFE1PP		
CF2FRP		
CF3PVC		



(AXIAL FAN)		
Product No.	Standard	
AF1PP		
AF2FRP		
AF3PVC		



(STAINLESS STEEL FUME EXTRACTOR)		
Product No.	Standard	
FESS	L400*W400	



(3 JOINTS FUME EXTRACTOR)		
Product No.	Standard	
FEPP/CM		
FEPP/WM		



(EMERGENCY SHOWER AND EYE WASH)		
Product No.	Standard	
ESE/SS01		



(EYE WASH)		
Product No.	Standard	
EW01		



(LABORATORY STOOL)		
Product No.	Standard	
LS01		




(SINGLE FACED PEGBOARD)		
Product No.	Standard	
SFP1622	L400*H550	
SFP2228	L550*H700	

LABORATORY ACCESSORIES

STANDING CABINET Height: 830mm Deepness 550mm



(SWING GOOSENECK, TRIPLE OUTLET FAUCET)		
Product No.	Standard	
FA-103	L270*W185*H640	
FA-203	L225*W130*H580	



(SWING GOOSENECK, SINGLE MIXER)		
Product No.	Standard	
AF-121	L165*W170*H450	



(DOUBLE OUTLET FAUCET)		
Product No.	Standard	
AF-102	L235*W125*H150	



(SWING GOOSENECK, SINGLE FAUCET)		
Product No.	Standard	
AF-201	L235*W125*H150	



(LOW SPOUT, SINGLE FAUCET)		
Product No.	Standard	
AF-201	W130*H200	



(DOUBLE OUT GAS FITTING)		
Product No.	Standard	
GF-102	L135*W135*H95	



(SINGLE GAS FITTING)		
Product No.	Standard	
GA-101	W135*H95	



(CONTROL OUT GAS, CONTROL VALVE GAS)		
编号 Product No.	Standard	
CVG-101		
CVW-101		
COG-101		
COW-101		



(PP SINK)		
Product No.	Standard	
FA-101	L550*W450*H310	
FA-102	L800*W460*H320	
FA-103	L440*W340*H280	
FA-104	L180*W115*H180	



(EPOXY RESIN SINK)		
Product No.	Standard	
ES-101	L515*W415*H310	
ES-102	L560*W450*H310	
ES-103	L700*W445*H270	
ES-104	L440*W340*H287	
ES-104	L220*W120*H110	